



the gpaa

Department:  
Government Pensions Administration Agency  
REPUBLIC OF SOUTH AFRICA

## TENDER - TECHNICAL QUESTIONS

No	Question	Responsible	Answer	Comment
1.	Is this a new installation per branch?	Security unit	Yes, it is.	Each region or office will have new installations.
2.	How high will the PTZ External cameras be installed per site? Must we quote for skyjack or will the GPAA be providing this to the installer free of charge to use for the duration of the installation?	Security unit	Yes, for some offices Skyjack will be required.	
3.	How much cabling is required or will this be provided by the GPAA?	Alan/Gideon Britz/Lazarus/Gordon	To be supplied by the GPAA.	The RFP clearly indicates that this will be provided by the GPAA.
4.	How much conduit is required or will this be provided by the GPAA?	Alan/Gideon Britz/Lazarus/Gordon	The GPAA will take care of this.	
5.	Must we accommodate for a viewing station at each of the branches?	Security unit	Yes.	
6.	Is there enough capacity at Head Office for all these cameras to be linked to?	Alan/Gideon Britz/Lazarus/Gordon	Yes	
7.	If switches are required, will the GPAA provide the switches for the installer?	Alan/Gideon Britz/Lazarus/Gordon	The GPAA's ICT will procure the requested network switches.	Switches will be procured by the GPAA's ICT through the Supply

No	Question	Responsible	Answer	Comment
				Chain Management process.
8.	Must the Bill of Quantities be priced as is, i.e. cameras only?	Bongani Ndlovu/Security unit	Yes	
9.	Alternatively, must we include other infrastructure, networking and storage devices?	Alan/Gideon Britz	Quotation must be as per Bill of Quantity/RFP.	
10.	Should the latter be applicable, please supply specifications, quantities and extend of this requirement?	Secutiy/Project office	None	
11.	Also note that there is a discrepancy on the closing date as that the tender advertisement indicates 10 <sup>th</sup> April 2014 and the tender document on page 41 indicates the 4 <sup>th</sup> April 2014?	William Ramoroka	The bid closes on 10 April 2014 at 11h00.	
12.	I notice there is no attached document for the bid proposal. Can this document be set out in any format?		Yes	
13.	You require five copies and one original technical proposal with the SBD documents. Does this mean I should have five copies of the SBD as well?		One original SBD document must be supplied.	
14.	You require only one pricing schedule. So will this be a total of eight envelopes? <ul style="list-style-type: none"> <li>○ Five technical proposal copies with SBD documents</li> <li>○ One technical proposal original with SBD documents</li> <li>○ One pricing proposal</li> <li>○ One envelope with bid</li> </ul>		You will need to submit the following: <ul style="list-style-type: none"> <li>● Five technical proposals;</li> <li>● One original technical proposal with</li> </ul>	

No	Question	Responsible	Answer	Comment
	documents, including all company supporting documents		SBD documents; and • One pricing proposal.	